(formerly 9-331c)		NHEDS					
	DEPAR	TMENT OF	THE INTERIOR	2		5. LEASE DESIGN	NATION AND SERIAL NO.
	BURE	AU OF LAND I	MANAGEMENT			ι	JTU-76765
APPLICA	TION FOR PER	RMIT TO D	RILL. DEEPE	N. OR PLU	G BACK	6 IF INDIAN ALL	OTTEE OR TRIBE NAME
1a TYPE OF WORK				.,			IA
DRI	LL X	DEEPEN		LIC DACK			
B TYPE OF WELL		DEEPEN		UG BACK		7. UNIT AGREEM	
OIL T	GAS 🗶		SINGLE			8. FARM OR LEA	I a Se Name
WELL		OTHER	ZONE MUL	TIPLE ZONE	x		ia
2. NAME OF OPERATOR	•					9. WELL NO.	
The Ho	uston Exploration	on Compan	у			North Hor	seshoe 14-12-6-21
3. ADDRESS OF OPERA						10. FIELD OR LEA	ASE NAME
1100 Lo	uisiana, Suite 2	2000 Housto	on, TX, 77002			Updesign	widest
	(Report location clearly and ir	•	State requirement)	n 3077801	0	11. Sec., T., R., M	
at surface 558'	FSL & 2038' FWL	SESW 626	942× 7	0.5.7.		AND SURVEY OF	AREA
At proposed prod. Zon		above $4\dot{4}$	62182-	10.307801 109.50b19	7	Sec. 12, To	6S. R21E
14. DISTANCE IN MILES	AND DIRECTION FROM NE	AREST TOWN OR PO	ST OFFICE*				PARISH 13. STATE
12.7 mile	es south of Verna	ıl, UT				Uintah	Utah
15. DISTANCE FROM PI LINE , FT. (Also to neare	ROPOSED LOC. TO NEARES	T PROP. OR LEASE	16. NO. OF ACRES IN LE	ASE		ES ASSIGNED	· · · · · · · · · · · · · · · · · · ·
558'	st drig. Orlit line, if any)		1,040		TO THIS W		
16. DISTANCE FROM PI	ROPOSED LOCATION *		19. PROPOSED DEPTH		20 BOTABY O	40 R CABLE TOOLS	
TO NEAREST WELL, DE			19. PROPOSED DEFIN		20. ROTART OF	CABLE TOOLS	
OR APPLIED FOR, ON 1		1,300'	10	,500'	Rotar	y	
21. ELEVATION (SHOW 4754'	WHETHER DF. RT, GR, etc.)					TE WORK WILL START
		DDODOSES O	ACINIO AND OFFICE	T 00000411		9/2	
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FO	ASING AND CEMEN OT SETTING DEP		QUARTIT	Y OF CEMENT	
11"	8 5/8"	36#	2000'	111	238 s		
		11.6#					
7 7/8'			T.D.		1,067		

10 point plan and 13 point plan.

William A Ryan 290 S 800 E **Vernal, UT 84078** 435-789-0968

CONFIDENTIAL

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposed in to deepen or plug back, give data on proposed productive zone and proposed new

24 SIGNATURE	William A. Ryan	TITLE	Agent	DATE	6/1/06
(This space for PERMIT NO.	43.047(30) 99		APPROVAL DATE		
APPROVED BY CONDITIONS OF APPRO	DVAL FAM SCHOOL	TITLE	BRADLEY G. HILL	DATE	06-15-04


*See Instructions on Reverse Side

Title 18 U. S. C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

JUN 05 2006

T6S. R21E, S.L.B.&M.

C.C. 1920 Brass Cap 1.0' High, Scattered Stones -



BASIS OF BEARINGS

(AUTONOMOUS NAD 83)

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.

LEGEND:

= 90' SYMBOL

= PROPOSED WELL HEAD.

Fenceline, Set Stone

= SECTION CORNERS LOCATED.

LONGITUDE = 109'30'24.63'' (109.506842) (AUTONOMOUS NAD 27) LATITUDE = $40^{\circ}18^{\circ}28.09^{\circ}$ (40.307803)

LATITUDE = $40^{\circ}18^{\circ}27.95^{\circ}$ (40.307764)

LONGITUDE = 109'30'22.14" (109.506150)


THE HOUSTON EXPLORATION COMPANY

Well location, NORTH HORSESHOE #14-12-6-21, located as shown in the SE 1/4 SW 1/4 of Section 12, T6S, R21E, S.L.B.&M. Uintah County, Utah.

-1920 Brass Cap 1.5' High, Mound of Stones

BASIS OF ELEVATION

SPOT ELEVATION AT THE NORTHWEST CORNER OF SECTION 18, T6S, R22E, S.L.B.&M. TAKEN FROM THE RASMUSSEN HOLLOW, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4738 FEET.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELLE

1920 Brass Cap 1.0' High, N-W Fenceline

REGISTERED LAND SURVEYOR REGISTRATION NO. 161319 STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING 85 SOUTH 200 EAST - VERNAL, UTAH 84078 (435) 789-1017

(400)	7 709-1017
SCALE 1" = 1000'	DATE SURVEYED: DATE DRAWN: 11-06-05 11-07-05
PARTY G.S. C.Z. P.M.	REFERENCES G.L.O. PLAT
WEATHER COOL	FILE THE HOUSTON EXPLORATION COMPANY

Ten Point Plan

The Houston Exploration Company

North Horseshoe 14-12-6-21

Surface Location SE 1/4 SW 1/4, Section 12, T. 6S., R. 21E.

1. Surface Formation Duchesne

2. Estimated Formation Tops and Datum:

Formation	Depth	Datum
Duchesne	Surface	4,754'G.L.
Uintah	1,800'	+2,954'
Green River	3,900'	+854'
Wasatch	7,000'	-2,246'
Kmv	9,500'	-4,746'
Mesaverde	10,000'	-5,246'
TD	10,500'	-5,746'

A 11" hole will be drilled to 2,000' +/-. The hole depth will depend on the depth that the Birds Nest Zone is encountered. The hole will be drilled 400' beyond the top of the Birds Nest.

3. Producing Formation Depth:

Formation objective includes the Green River, Wasatch, Mesaverde and its submembers.

Off set well information Permitted/Drilled:

North Horseshoe 16-12-6-21 North Horseshoe 10-12-6-21 North Horseshoe 8-12-6-21 North Horseshoe 2-12-6-21

4. Proposed Casing:

	Casing			Coupling	Casing	
<u>Size</u>	<u>Size</u>	Weight/FT	<u>Grade</u>	& Tread	Depth	New/Used
11	8 5/8	36#	J-55	STC	2000	NEW
7 7/8	4 1/2	11.6#	N-80	LTC	T.D.	NEW

Cement Program:

Cement volume = Gauge hole + 25%

The Surface Casing will be cemented from 2000' to the Surface as follows:

Casing Size Conductor: 0'- 40'	Cement Type	Cement Amounts	Cement <u>Yield</u>	Cement Weight
14"	Premium "5"	35 sks. +/-	1.18ft³/sk	15.6 ppg
Lead: 0'- 1,300'				
8 5/8"	Premium "5"	87 sks. +/-	3.82ft³/sk	11.0 ppg
Tail: 1,300'- 2,000'				
8 5/8"	Premium "5"	151 sks. +/-	1.2ft³/sk	15.6 ppg

NOTE:

Cement top for tail = Trona + 200'

Production casing will be cemented to 200' inside surface casing or higher as follows:

Casing <u>Size</u>	Cement Type	Cement Amounts	Cement <u>Yield</u>	Cement Weight
Lead: 1,800'- 6,800'				
4 ½"	Premium "5"	430 sks +/-	3.82ft³/sk	11.0 ppg
Tail: 6,800'- TD				
4 ½" NOTE:	Premium "5"	637 sks +/-	1.18ft³/sk	15.6 ppg
Cement top for tail =	Wasatch + 200'			

5. BOP and Pressure Containment Data:

The anticipated bottom hole pressure will be less than 3000 psi.

A 3000-psi WP BOP system as described in the BOP and Pressure Containment Data (attached) will be installed and maintained from the 8 5/8" surface casing. The BOP system including the casing will be pressure tested to minimum standards set forth in "On Shore Order #2". The BOP will be mechanically checked daily during the drilling operation.

6. Mud Program:

Interval	Mud weight lbs./gal.	Viscosity Sec./OT.	Fluid Loss Ml/30 Mins.	Mud Type
0-2000 2000-T.D.	Air/Clear Water 8.4-12.0	30	No Control 8-10	Water/Gel Water/Gel

7. Auxiliary Equipment

Upper Kelly cock, full opening stabbing valve, 2 ½" choke manifold and pit level indicator.

8. Testing, Coring, Sampling and Logging:

a)	Test:	None are enticipated
a) Test.	None are anticipated.

b) Coring: There is the possibility of sidewall coring.

c) Sampling: Every 10' from 2000' to T.D.

d) Logging: Type Interval


DLL/SFL W/GR and SP T.D. to Surf. Csg FDC/CNL W/GR and CAL T.D. to Surf. Csg

9. Abnormalities (including sour gas):

No abnormal pressures, temperatures or other hazards are anticipated. Oil and gas shows are anticipated in the Wasatch Formation. Other wells drilled in the area have not encountered over pressured zones or H2S.

10. Drilling Schedule:

The anticipated starting date is $\underline{5/25/200}$. Duration of operations is expected to be 30 days.



TYPICAL PRODUCTION LAYOUT Soles line Dump Lines Separator, Dehydrator & Meter 2 300 ыы Tanks & Berm Insulated 2" Flow line & 1" Trace ● WELL HEAD PIT AREA

THE HOUSTON EXPLORATION COMPANY 13 POINT SURFACE USE PLAN

FOR WELL

NORTH HORSESHOE 14-12-6-21

LOCATED IN SE 1/4 SW 1/4

SECTION 12, T.6S, R21E, S.L.B.&M.

UINTAH COUNTY, UTAH

LEASE NUMBER: UTU-76765

SURFACE OWNERSHIP: FEDERAL

1. Existing Roads:

The Houston Exploration Co. North Horseshoe 14-12-6-21 Section 12, T6S, R 21E

Starting in Vernal, Utah: Proceed in an easterly, then southerly direction from Vernal, Utah along U.S. Highway 40 approximately 3.9 miles to the junction of State Highway 45; exit right and proceed in a southerly, then southeasterly direction approximately 7.2 miles on State Highway 45 to the junction of this road and an existing road to the southwest; turn right and proceed in a southwesterly direction approximately 1.5 miles to the beginning of the proposed access to the northwest; follow road flags in a northwesterly direction approximately 0.1 miles to the proposed location.

Total distance from Vernal, Utah to the proposed well location is approximately 12.9 miles.

All existing roads to the proposed location are State of Utah, BLM maintained or County Class D roads. Please see the attached map for additional details.

2. Planned access road

The proposed access road will be approximately 528' of new construction on lease. The road will be graded once per year minimum and maintained.

A) Approximate length 528 ft

B) Right of Way width	30 ft
C) Running surface	18 ft
D) Surface material	Native soil
E) Maximum grade	8%
F) Fence crossing	None
G) Culvert	None
H) Turnouts	None
I) Major cuts and fills	None
J) Road Flagged	Yes
K) Access road surface	ownership
	Federal
L) All new construction	ı on lease
	Yes
M) Pipe line crossing	None

Please see the attached location plat for additional details.

An off lease right-of-way will not be required.

All surface disturbances for the road and location will be within the lease boundary.

3. Location of existing wells

The following wells are located within a one-mile radius of the location site.

A) Producing well	None
B) Water well	None
C) Abandoned well	None
D) Temp. abandoned well	None
E) Disposal well	None
F) Drilling /Permitted well	None
G) Shut in wells	None
H) Injection well	None
I) Monitoring or observation	well
3	None

Please see the attached map for additional details.

4. Location of tank batteries, production facilities and production gathering service lines.

All production facilities are to be contained within the proposed location site. Please see the attached plat plan for a typical gas well separator installation and well site piping.

All permanent (on site for more than six months or longer) structures constructed or installed will be painted a **Carlsbad Canyon** color. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded. The required paint color is **Carlsbad Canyon**.

All tanks will be surrounded by a dike of sufficient capacity to contain the storage capacity of the largest tank in the battery. The integrity of the dike will be maintained.

The operator will adhere to all site security guidelines and regulation identified in 43 CFR 3126.7.

All off lease storage, off lease measurement, commingling on lease or off lease, of production, will have prior written approval form the authorized officer.

If the well is capable of economic production a surface gas line will be required.

Approximately 2,580' of 3" steel buried gas gathering line would be constructed on Federal Lands. The line will tie into a proposed pipeline for the 16-12-6-21 in Section 12, T6S, R21E. The pipeline would be buried to the southeast of the location and adjacent to the access road. A 15' wide permanent right-of-way will be required and a temporary width of 45' will be necessary during construction for one week.

An off lease right-of-way will not be required.

Please see the attached location diagrams for pipeline location.

The gas meter run will be located within 500' of the wellhead. The gas line will be buried or anchored down from the wellhead to the meter. Meter runs will be housed and/or fenced.

The gas meter will be calibrated and the tank strapped in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The authorized officer will be provided with a date and time for the initial meter calibration and all future meterproving schedules. A copy of the meter calibration report will be submitted to the BLM's Vernal District office and State of Utah. Division of Oil, Gas, and Mining. All measurement facilities will conform to API (American Petroleum Institute) and AGA (American Gas Association) standards for gas and liquid hydrocarbon measurement.

5. Location and type of water supply

Water for drilling and cementing will come from The Green River Permit # T-76073.

6. Source of construction materials

All construction material for this location site and access road shall be borrow material accumulated during construction of the location site and access road. Additional road gravel or pit lining material will be obtained from private resources.

7. Methods for handling waste disposal

A) Pit construction and liners:

The reserve pit will be approximately 12 ft. deep and most of the depth shall be below the surface of the existing ground Please see the attached plat for details.

The reserve pit will be lined.

The reserve pit will be used to store water for drilling. A semi-closed system will be used to drill the well. All fresh water for drilling will come from a frac tank placed on location and from the rig tank. The pit will be used to hold non-flammable materials such as cuttings, salt, drilling fluids, chemicals, produced fluids, etc.

B) Produced fluids:

Produced water will be confined to the reserve pit, or if deemed necessary, a storage tank for a period not to exceed 90 days after initial production. During the 90-day period an application for approval for permanent disposal method and location will be submitted to the authorized officer. Evaporation may be used instead of trucking to facilitate closing and reclamation of the reserve pit. A pumping system would be used for evaporation.

C) Garbage:

A trash cage fabricated from expanded metal will be used to hold trash on location and will be removed to an authorized landfill location.

D) Sewage:

A portable chemical toilet will be supplied for human waste.

E) Site clean-up:

After the rig is moved off the location the well site area will be cleaned and all refuse removed.

8. Ancillary facilities

There are no ancillary facilities planned at this time and none are foreseen for the future.

9. Well-site layout

Location dimensions are as follows:

A) Pad length	345 ft.
B) Pad width	245 ft.
C) Pit depth	12 ft.
D) Pit length	150 ft.
E) Pit width	75 ft.
F) Max cut	19.5 ft.
G) Max fill	5.3 ft.
H) Total cut yds.	12,200 cu vds

- I) Pit location West end
- J) Top soil location

South end

K) Access road location

East end Corner C

L) Flare Pit

Please see the attached location diagram for additional details.

All pits will be fenced according to the following minimum standards:

- A) Thirty nine inch net wire shall be used with at least one strand of wire on top of the net wire. Barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence.
- B) The net wire shall be no more than 2 inches above the ground. The barbed wire shall be 3 inches above the net wire. Total height of the fence shall be at leas 42 inches.
- C) Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.
- D) Standard steel, wood or pipe

- posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16 ft.
- E) All wire shall be stretched by using a stretching device before it is attached to the corner posts.
- 10. Plans for restoration of the surface

Prior to construction of the location. the top 6 inches of soil material will be stripped off the location and the pit area. The topsoil removed and piled will amount to approximately 1,750 cubic yards of material. Topsoil will be stockpiled in one distinct pile. Placement of the topsoil is noted on the attached location plat. The topsoil pile from the location will be seeded as soon as the soil is stock piled with the seed mix listed. When all drilling and completion activities have been completed and the pit back-filled the topsoil from the pit area will be spread on the pit area. The pit area will be seeded when the soil has been spread. The unused portion of the location (the area outside the dead men) will be recontoured.

The dirt contractor will be provided with an approved copy of the surface use plan prior to construction activities.

Changes to the drainage during the construction activities shall be restored to its original line of flow or as near as possible when the pit is back-filled

All disturbed areas will be recontoured to the approximate natural contours. Prior to back filling the pit the fences around the reserve pit will be removed.

The reserve pit will be reclaimed within 90 days of well completion. If the reserve pit has not dried sufficiently to allow back filling, an extension on the time requirement for back filling the pit will be requested. Once reclamation activities have begun, they shall be completed within 30 days.

After the reserve pit has been reclaimed, no depressions in the soil covering the reserve pit will be allowed. The objective is to keep seasonal rainfall and run off from seeping into the soil used to cover the reserve pit. Diversion ditches and water bars will be used to divert the run off as needed.

When restoration activities have been completed, the location site and new access road cuts and shoulders shall be reseeded. Prior to reseeding, all disturbed areas will be scarified and left with a rough surface.

A) Seeding dates:

Seed will be spread when topsoil is stock piled and when reclamation work is performed.

The seed mix and quantity list will be used whether the seed is broadcast or drilled.

B) Interim Seed Mix

4#/acre Indian Rice Grass 4#/acre Crested Wheat Grass 4#/acre Needle and Thread Grass

11. Surface ownership:

Access road Federal Location Federal Pipe line Federal

12. Other information:

A) Vegetation

The vegetation coverage is slight. The majority of the existing vegetation consists of non-native species. Rabbit brush, bitter brush, and Indian Rice grass and Sagebrush are also found on the location.

B) Dwellings:

There are no dwellings or other facilities within a one-mile radius of the location.

C) Archeology:

The location has been surveyed. A copy of that survey will be forwarded to your office.

If, during operations, any archaeological or historical sites, or any objects of antiquity (subject to the antiquities act of June 8, 1906) are discovered, all operations, which would affect such sites, will be suspended and the discovery reported

promptly to the surface management agency.

D) Water:

The nearest water is the Green River located 2,800' to the South.

E) Chemicals:

No pesticides, herbicides or other possible hazardous chemicals will be used without prior application.

F) Notification:

- a) Location Construction
 At least forty eight (48)
 hours prior to
 construction of location
 and access roads.
- b) Location completion prior to moving on the drilling rig.
- c) Spud notice At least twenty-four (24) hours prior to spudding the well.
- d) Casing string and cementing
 At least twenty-four (24) hours prior to running casing and cementing all casing strings.
- e) BOP and related equipment tests At least twenty-four (24) hours prior to initial pressure tests.
- f) First production notice Within five (5) business days after the new well begins, or production resumes after well has

been off production for more than 90 days.

G) Flare pit:

The flare pit will be located in corner C of the reserve pit out side the pit fences and 100 feet from the bore hole on the east side of the location. All fluids will be removed from the pit within 48 hours of occurrence.

13. Lessees or Operator's representative and certification

A) Representative

William A. Ryan Rocky Mountain Consulting 290 S 800 E Vernal, UT 84078

Office 435-789-0968 Fax 435-789-0970 Cellular 435-828-0968

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, onshore oil and gas orders, and any applicable notices to lessees. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance.

This drilling permit will be valid for a period of one year from the date of approval.

After permit termination, a new

application will be filed for approval for any future operations.

B) Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill-site and access route that I am familiar with the conditions which presently exist, that the statements made in this plan are, to the best of my knowledge and belief, true and correct, and that the work associated with the operation proposed herein will be preformed by The Houston **Exploration Company and its** contractors and subcontractors in conformity with this plan and terms and conditions with this plan and the terms and conditions under which it is approved.

Onsite Dates: 1/12/06

The following self-certification statement is provided per Federal requirements dated June 15, 1988.

Please be advised that The Houston Exploration Company is considered to be the operator of the following well:

North Horseshoe #14-12-6-21 Section 12, T. 6S, R. 21E SE ¼ of the SW ¼ Lease UTU-76765 Uintah County, Utah

The Houston Exploration Company is responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond UTU-104155044 provides statewide bond coverage on all Federal Lands.

Date 6/1/06

William A. Ryan, Agent Rocky Mountain Consulting

Self Certification Statement

Statement of use of Hazardous Materials

No chemical(s) from the EPA's consolidated list of Chemicals subject to Reporting under Title III of the Superfund Amendments and Reauthorization, Act (SARA) of 1986 will be used, produced, transported, stored, disposed, or associated with the proposed action. No extremely hazardous substances, as defined in 40 cfr 355, will be used, produced, stored, transported, disposed, or associated with the proposed action.

If you require additional information please contact:

William A Ryan Agent for The Houston Exploration Company Rocky Mountain Consulting 290 S 800 E Vernal, UT 84078

435-789-0968 Office 435-828-0968 Cell 435-789-0970 Fax

THE HOUSTON EXPLORATION COMPANY

NORTH HORSESHOE #14-12-6-21

LOCATED IN UINTAH COUNTY, UTAH SECTION 12, T6S, R21E, S.L.B.&M.



PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: SOUTHEASTERLY





PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS


CAMERA ANGLE: NORTHWESTERLY





Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
435-789-1017 uels@uelsinc.com


LOCATION	PHOTOS	11 MONTH	08 DAY	05 YEAR	РНОТО
TAKEN BY: GS.	DRAWN BY: C.H	. REV	ISED: (0-00-00	















WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 06/05/2006		API NO. ASSIGN	NED: 43-047	-38199
WELL NAME: N HORSESHOE 14-12-6-21 OPERATOR: HOUSTON EXPLORATION CO, (N2525) CONTACT: BILL RYAN	I	PHONE NUMBER:	435-789-0968	·
PROPOSED LOCATION:		INSPECT LOCATN	BY: /	/
SESW 12 060S 210E	-	Tech Review	Initials	Date
SURFACE: 0558 FSL 2038 FWL BOTTOM: 0558 FSL 2038 FWL		Engineering		
COUNTY: UINTAH	ļ	Geology		
LATITUDE: 40.30781 LONGITUDE: -109.5062	82	Surface		
UTM SURF EASTINGS: 626942 NORTHINGS: 44627 FIELD NAME: WILDCAT (1			<u> </u>	
LEASE TYPE: 1 - Federal LEASE NUMBER: UTU-76765 SURFACE OWNER: 1 - Federal		PROPOSED FORMAT		D
RECEIVED AND/OR REVIEWED:	LOCATIO	ON AND SITING:		
<pre></pre>	Unit: R R R	649-2-3. 649-3-2. Generiting: 460 From Q 649-3-3. Exceprilling Unit Board Cause No Eff Date: Siting:	ral tr/Qtr & 920' F	
COMMENTS:				
STIPULATIONS: 1- federal Approval 2- Spacing Sip				





State of Utah

Department of Natural Resources

MICHAEL R. STYLER Executive Director

Division of Oil, Gas & Mining

JOHN R. BAZA
Division Director

JON M. HUNTSMAN, JR. Governor

GARY R. HERBERT Lieutenant Governor

June 15, 2006

Houston Exploration Company 1100 Louisiana, Suite 2000 Houston, TX 77002

Re: North Horseshoe 14-12-6-21 Well, 558' FSL, 2038' FWL, SE SW, Sec. 12, T. 6 South, R. 21 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-38199.

Sincerely,

Gil Hunt

Associate Director

Still I

pab Enclosures

cc: Uintah County Assessor

Bureau of Land Management, Vernal District Office

Operator:	Houston	n Exploration Company						
Well Name & Number	North Horseshoe 14-12-6-21							
API Number:	43-047-38199							
Lease:	UTU-7							
Location: SE SW	Sec12_	T. <u>6 South</u>	R. 21 East					

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-54209 76765				
SUNDR	Y NOTICES AND REPORTS	ON WEL	LS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for proposals to drill drill horizontal	7. UNIT OF CA AGREEMENT NAME:				
1. TYPE OF WELL OIL WELL	GAS WELL 🗹 OTHER_			8. WELL NAME and NUMBER: North Horseshoe 14-12-6-2	 21
2. NAME OF OPERATOR:				9. API NUMBER:	
The Houston Exploration	4304738199				
3. ADDRESS OF OPERATOR: 1100 Louisiana Suite 2000	10. FIELD AND POOL, OR WILDCAT: Exploratory				
4. LOCATION OF WELL FOOTAGES AT SURFACE: 558'F QTR/QTR, SECTION, TOWNSHIP, RA	SL & 2,038 FWL	77002 1E		COUNTY: Uintah STATE: UTAH	
11. CHECK APP	ROPRIATE BOXES TO INDICAT	E NATURE	OF NOTICE, REPO	RT, OR OTHER DATA	
TYPE OF SUBMISSION			YPE OF ACTION		-
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start:	ACIDIZE ALTER CASING CASING REPAIR CHANGE TO PREVIOUS PLANS	DEEPEN FRACTURE NEW CONS OPERATOR	TRUCTION	REPERFORATE CURRENT FORM SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR	ATION
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE TUBING CHANGE WELL NAME	PLUG AND	ABANDON	VENT OR FLARE WATER DISPOSAL WATER SHUT-OFF	
Date of work completion:	CHANGE WELL STATUS COMMINGLE PRODUCING FORMATIONS CONVERT WELL TYPE	RECLAMATI	ION OF WELL SITE TE - DIFFERENT FORMATION	OTHER: Extension	
	C		n for one year. by the	B . 22 07	
NAME (PI EASE PRINT) William A	Ryan	TITI	F Agent	A American Service	

DATE 5/14/2007

PEOPLED

MAY 2 1 2007

(This space for State use only)

Application for Permit to Drill Request for Permit Extension Validation

Validation
(this form should accompany the Sundry Notice requesting permit extension)

	4304738199	
Well Name:	North Horseshoe 14-12-6-21	CAN.
Location:	Section 12, Township 6 South, Range 21 East SE mit Issued to: The Houston Exploration Co	
Company Per	Permit Issued: 6/15/2006	ompany
Date Original	Permit issued. W15/2000	
above, hereby	ed as owner with legal rights to drill on the verifies that the information as submitted ication to drill, remains valid and does not be set to the control of the control	d in the previously
Following is a verified.	checklist of some items related to the ap	pplication, which should be
	rivate land, has the ownership changed, en updated? Yes□No☑	if so, has the surface
	s been drilled in the vicinity of the propos siting requirements for this location? Ye	
Has there been permitting or o	n any unit or other agreements put in pla peration of this proposed well? Yes□ No	ace that could affect the o☑
Have there be	en any changes to the access route inclocould affect the proposed location? Yes	uding ownership, or right- □ No ☑
Has the approx	ved source of water for drilling changed	? Yes□No☑
Have there been which will requested evaluation? Yes	en any physical changes to the surface l lire a change in plans from what was dis es□No☑	location or access route cussed at the onsite
Is bonding still	in place, which covers this proposed we	ell? Yes ☑ No □
Signature	~ a Lyon	5/14/2007 Date
Title: Agent		
Representing:	The Houston Exploration Company	RECEIVED

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

ROUTING							
1. DJJ							
2 CDW							

Change	of Operator	(Well	Sold
	or Obornior	(11 011	SOIG,

Change of Operator (Well Sold)	X - Operator Merger								
The operator of the well(s) listed below has changed, effective:			6/1/2007						
FROM: (Old Operator): N2525 - The Houston Exploration Company 1100 Louisiana, Suite 2000 Houston, TX 77002						3600			
Phone: 1-(713) 830-6800				Phone: 1 (303)	812-1755				
CA No.				Unit:		0.11(6).			
WELL NAME	SEC T	WN]	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	
SEE ATTACHED LIST									
OPERATOR CHANGES DOCUMENT Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was 2. (R649-8-10) Sundry or legal documentation was	s receive	ed from	m the	NEW operator	on:	7/30/2007	-		
3. The new company was checked on the Departs	ment of (Comn	nerce	, Division of Co	orporations	Database of	n:	7/31/2007	
4a. Is the new operator registered in the State of U	Jtah:			Business Numb	er:	571171-0143	3		
4b. If NO , the operator was contacted contacted of	n:						-		
5a. (R649-9-2)Waste Management Plan has been re	ceived o	n:		IN PLACE					
5b. Inspections of LA PA state/fee well sites complete.	lete on:				•				
5c. Reports current for Production/Disposition & S	undries o	on:		YES	•				
6. Federal and Indian Lease Wells: The BL	M and o	r the I	3IA h	as approved the	: merger, na	me change,			
or operator change for all wells listed on Federa					BLM	7/31/2007	BIA	· ·	
7. Federal and Indian Units:						•		•	
The BLM or BIA has approved the successor	of unit o	perat	or for	wells listed on:		n/a			
8. Federal and Indian Communization Ag							-		
The BLM or BIA has approved the operator i	for all we	ells lis	ted w	ithin a CA on:		n/a			
9. Underground Injection Control ("UIC"				vision has appro	oved UIC Fo		fer of Au	thority to	
Inject, for the enhanced/secondary recovery un	it/project						n/a	·	
DATA ENTRY:	1 3			1	(-)			-	
1. Changes entered in the Oil and Gas Database	on:			8/27/2007					
2. Changes have been entered on the Monthly Op		Chang	e Spi		•	8/27/2007			
3. Bond information entered in RBDMS on:			· •	8/27/2007			•		
4. Fee/State wells attached to bond in RBDMS on	:			8/27/2007	•				
5. Injection Projects to new operator in RBDMS of			_	n/a	•				
6. Receipt of Acceptance of Drilling Procedures for	or APD/I	New o	n:		7/30/2007				
BOND VERIFICATION:									
1. Federal well(s) covered by Bond Number:			_	6236351					
2. Indian well(s) covered by Bond Number:				n/a	•				
3a. (R649-3-1) The NEW operator of any fee well					ſ	6218963	_		
3b. The FORMER operator has requested a release	e of liabi	lity fro	om th	eir bond on:	not yet				
LEASE INTEREST OWNER NOTIFIC 4. (R649-2-10) The FORMER operator of the fee of their responsibility to notify all interest owner	wells has	s been		acted and inform	ned by a lett 8/1/2007	ter from the D	ivision	····	
COMMENTS:									

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES

Ī	5. LEASE DESIGNATION AND SERIAL NUMBER: See Attached List		
SUNDRY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for proposals to drill no drill horizontal la	ew wells, significantly deepen existing wells below curreterals. Use APPLICATION FOR PERMIT TO DRILL fo	ent bottom-hole depth, reenter plugged wells, or t	7. UNIT or CA AGREEMENT NAME:
TYPE OF WELL OIL WELL	GAS WELL OTHER_		WELL NAME and NUMBER:
2. NAME OF OPERATOR:	1110: -		See Attached List 9. API NUMBER:
Forest Oil Corporation	N6965		various
3. ADDRESS OF OPERATOR: 707 17th Street, #3600	Denver, STATE CO ZIP	PHONE NUMBER: (303) 812-1755	10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL	STATE ZIP	1(000)0.11	1
FOOTAGES AT SURFACE: See at	tached list		COUNTY:
QTR/QTR, SECTION, TOWNSHIP, RAN	GE, MERIDIAN:		STATE: UTAH
11. CHECK APPF	ROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE REF	PORT OR OTHER DATA
TYPE OF SUBMISSION	To the boxes to indicate	TYPE OF ACTION	ON, ON OTHER DATA
NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE
✓ SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
Date of work completion:	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF
	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	✓ other: Change of Operator
	OMPLETED OPERATIONS. Clearly show all pe	RECOMPLETE - DIFFERENT FORMATION	
N-2525) to Forest Oil Corporation as approved operations cond Forest Oil Corporation me Please send all future correst Oil Corporation, 70 J. C. Ridens, Senior Vice I	nee contract operated wells will cornew operator, accepts all applicat ucted on the lease or portion of the test the State of Utah bonding requestions are sepondence to Forest Oil Corporate 17 17th Street, Suite #3600, Denver	with The Houston Exploration of the Houston Expl	Houston Exploration Company n Company, a copy of the merger by Enduring. ons and restrictions concerning #6218963. ess. -5-07 Date
NAME (PLEASE PRINT) Joanne C. SIGNATURE JAMM	e C. Thishis	DATE 7-5. 0	
(This space for State use only)	1	Il wells with	APD or New RECEIVED
APPROVED	8127107	state-	
A. A. 7	7 27 27	SIUIUS	RECEIVED
(5/2000) Carlene t		ctions on Reverse Side)	JUL 3 0 2007
Division of Oil, Gas a	and Mining		302 3 0 2007
Earlene Russell, Engi	neering technician		DIN UE UIL CAG & MINIMO

wmp

DIN UE UII CVC & MINIMA

well name	sec	twp	rng	api	entity	lease	well	stat	flag
HORSESHOE BEND 16-33	33			4304736214		Federal	OW	APD	8
HORSESHOE BEND 3-33	33			4304736215		Federal	OW	APD	
N HORSESHOE 7-16-6-21	16			4304737438		State	GW	APD	С
N HORSESHOE 9-16-6-21	16			4304737439		State	GW	APD	C
N HORSESHOE 15-16-6-21	16			4304737440		State	GW	APD	C
N HORSESHOE 11-16-6-21	16			4304737441		State	GW	APD	C
N HORSESHOE 1-16-6-21	16			4304737442		State	GW	APD	C
N HORSESHOE 13-2-6-21	02			4304737476		State	GW	APD	C
N HORSESHOE 15-2-6-21	02			4304737477		State	GW	APD	C
GUSHER 2-2-6-19	02			4304737561		State	OW	APD	C
GUSHER 16-2-6-19	02	<u> </u>		4304737562		State	OW	APD	C
GUSHER 1-2-6-19	02			4304737563		State	OW	APD	C
GUSHER 3-2-6-19	02			4304737568		State	OW	APD	C
E COYOTE 6-2-8-25	02			4304737572		State	GW	APD	C
E COYOTE 3-2-8-25	02			4304737573		State	GW	APD	C
E COYOTE 8-2-8-25	02			4304737574		State	GW	APD	C
N HORSESHOE 13-16-6-21	16			4304737575	 	State	GW	APD	C
E COYOTE 4-2-8-25	02			4304737882		State	GW	APD	C
E COYOTE 14-2-8-25	02			4304737883		State	GW	APD	C
E COYOTE 10-2-8-25	02			4304737884		State	GW	APD	С
E COYOTE 16-2-8-25	02			4304737885		State	GW	APD	С
E COYOTE 12-2-8-25	02	080S	250E	4304737886		State	GW	APD	С
N HORSESHOE 16-18-6-22	18			4304737887		Federal	GW	APD	С
N HORSESHOE 14-18-6-22	18	060S	220E	4304737888		Federal	GW	APD	С
N HORSESHOE 2-18-6-22	18	060S	220E	4304737889		Federal	GW	APD	С
N HORSESHOE 10-18-6-22	18	060S	220E	4304737890		Federal	GW	APD	С
N HORSESHOE 8-18-6-22	18	060S	220E	4304737891		Federal	GW	APD	С
N HORSESHOE 13-15-6-21	15	060S	210E	4304738013		Federal	GW	APD	С
N HORSESHOE 15-15-6-21	15	060S	210E	4304738014		Federal	GW	APD	С
N HORSESHOE 11-15-6-21	15	060S	210E	4304738015		Federal	GW	APD	С
N HORSESHOE 9-15-6-21	15	060S	210E	4304738016		Federal	GW	APD	C
N HORSESHOE 5-15-6-21	15	060S	210E	4304738017		Federal	GW	APD	C
N HORSESHOE 3-15-6-21	15	060S	210E	4304738018		Federal	GW	APD	С
N HORSESHOE 5-20-6-22	20	060S	220E	4304738019		Federal			С
N HORSESHOE 13-20-6-22	20	060S	220E	4304738020		Federal	GW	APD	С
N HORSESHOE 3-20-6-22	20			4304738021		Federal			С
N HORSESHOE 7-20-6-22	20		_	4304738022		Federal			С
N HORSESHOE 11-20-6-22	20			4304738023		Federal		APD	С
N HORSESHOE 2-12-6-21	12			4304738198		<u></u>		APD	С
N HORSESHOE 14-12-6-21	12			4304738199				APD	С
N HORSESHOE 10-12-6-21	12			4304738200				APD	C
N HORSESHOE 8-12-6-21	12			4304738201		Federal		APD	С
N HORSESHOE 16-13-6-21	13			4304738202			GW	APD	С
N HORSESHOE 15-17-6-22	17			4304738203		Federal			С
N HORSESHOE 5-19-6-22	19			4304738204		Federal	-	APD	C
N HORSESHOE 15-19-6-22	19			4304738205	ļ	Federal		APD	C
N HORSESHOE 3-21-6-22	21			4304738206	ļ			APD	C
N HORSESHOE 11-21-6-22	21			4304738207	ļ	Federal			C
N HORSESHOE 15-21-6-22	21			4304738208	<u> </u>		GW	APD	C
N HORSESHOE 13-21-6-22	21			4304738209	<u> </u>	Federal		APD	C
N HORSESHOE 5-21-6-22	21			4304738210	ļ	Federal		APD	C
N HORSESHOE 7-19-6-22	19			4304738271				APD	С
N HORSESHOE 5-16-6-22	16	0005	220E	4304738406	<u> </u>	State	GW	APD	<u> </u>

well name	sec	twp	rng	api	entity	lease	well	ctat	flag
TWELVEMILE WASH 11-13-5-20	13			4304738437	emuty	Federal		APD	С
TWELVEMILE WASH 11-15-5-20	15			4304738438		Federal	GW	APD	C
N HORSESHOE 4-33-5-21	33			4304738439		Federal	GW	APD	C
GUSHER 6-15-6-19	15			4304738440		Federal	GW	APD	C
HORSESHOE BEND W 9-34-6-20	34		<u>. </u>	4304738441		Federal	GW	APD	C
N HORSESHOE 16-12-6-21	12			4304738442		Federal	GW	APD	$\frac{c}{c}$
N WALKER HOLLOW 12-29-6-23	29			4304738443		Federal	GW	APD	C
N WALKER HOLLOW 10-30-6-23	30			4304738444		Federal	GW	APD	C
PELICAN LAKE 11-3-8-20	03			4304738445	-	Federal	GW	APD	C
PELICAN LAKE 11-3-8-20	04			4304738446		Federal	1	APD	C
E COYOTE 10-3-8-25	03			4304738447		Federal	GW	APD	C
BORDER 10-9-8-25	09			4304738448		Federal	GW	APD	C
N WALKER HOLLOW 14-33-6-23	33			4304738455	-	Federal	GW	APD	C
SNAKE JOHN WASH 14-11-7-25	11			4304738456			GW	APD	C
SNAKE JOHN WASH 14-11-7-25	24			4304738457		Federal	GW	APD	C
SOUAW RIDGE 1-26-7-25	26		1	4304738458			GW	APD	C
SQUAW RIDGE 13-28-7-25	28			4304738459		Federal	GW	APD	C
SQUAW RIDGE 13-28-7-25	30			4304738460		Federal	GW	APD	C
SQUAW RIDGE 10-30-7-25	16			4304738461		State	GW	APD	C
GUSHER 13-11-5-19	11	050S		4304738462	<u> </u>	State			C
N HORSESHOE 1-15-6-21	15			4304738462			GW	APD	C
N HORSESHOE 1-13-0-21	09			4304738831		Federal	GW	APD	
N HORSESHOE 10-9-0-22 N HORSESHOE 12-7-6-22	09			4304739083		State	GW	APD	
N HORSESHOE 12-7-0-22 N HORSESHOE 14-10-6-22	10					State	GW	APD	
N HORSESHOE 14-10-0-22 N HORSESHOE 2-15-6-22	1	060S		4304739085		State	GW	APD	
N WALKER HOLLOW 12-32-6-23	15			4304739086		State	GW	APD	<u> </u>
N WALKER HOLLOW 12-32-0-23 N WALKER HOLLOW 10-32-6-23	32			4304739087		State	GW	APD	
N WALKER HOLLOW 10-32-0-23 N WALKER HOLLOW 16-32-6-23	32			4304739088		State	GW	APD	
N WALKER HOLLOW 10-32-0-23	32	060S		4304739089		State	GW	APD	
	32			4304739090		State	GW	APD	ļ
N WALKER HOLLOW 11-36-6-23 N WALKER HOLLOW 13-36-6-23	36			4304739091		State	GW	APD	
N WALKER HOLLOW 13-36-6-23	36			4304739092		State	GW	APD	
	_			4304739093		State		APD	
N WALKER HOLLOW 15-36-6-23	36			4304739094		State		APD	
N HORSESHOE 4-15-6-22	15			4304739095		State		APD	
N HORSESHOE 9-10-6-21	10			4304739284		Federal			C
N HORSESHOE 7.15-6-21	13	_		4304739285				APD	ļ
N HORSESHOE 7-15-6-21	15			4304739286				APD	<u> </u>
N HORSESHOE 9-19-6-22	19			4304739287				APD	<u> </u>
N HORSESHOE 13-19-6-22	19			4304739288				APD	<u> </u>
N HORSESHOE 11-19-6-22	19			4304739289				APD	
SQUAW RIDGE 16-13-7-24	13			4304739319				APD	C
N HORSESHOE 16-7-6-22	07			4304739320		Federal			С
SQUAW RIDGE 8-16-7-25	16	070S	250E	4304738024		State	GW	NEW	C

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

Request to Transfer Application or Permit to Drill

(This form should accompany a Sundry Notice, Form 9, requesting APD transfer)

Well name:	N Horseshoe 14-12-6-21				
API number:	4304738199				
Location:	'Qtr-Qtr: SESW Section: 12 Township: 6S Range: 21E				
Company that filed original application:	The Houston Exploration Company				
Date original permit was issued:	06/15/2006				
Company that permit was issued to:	The Houston Exploration Company				

Check one	Desired Action:				
	Transfer pending (unapproved) Application for Permit to Drill to new operator				
	The undersigned as owner with legal rights to drill on the property, hereby verifies that the information as submitted in the pending Application for Permit to Drill, remains valid and does not require revision. The new owner of the application accepts and agrees to the information and procedures as stated in the application.				
1	Transfer approved Application for Permit to Drill to new operator				
	The undersigned as owner with legal rights to drill on the property as permitted, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.				

Following is a checklist of some items related to the application, which should be verified.		
If located on private land, has the ownership changed?		√
If so, has the surface agreement been updated?	****	
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?		✓
Have there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?		✓
Have there been any changes to the access route including ownership or right-of-way, which could affect the proposed location?		✓
Has the approved source of water for drilling changed?		√
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?		✓
Is bonding still in place, which covers this proposed well? Bond No. 6218963	✓	

Any desired or necessary changes to either a pending or approved Application for Permit to Drill that is being transferred, should be filed on a Sundry Notice, Form 9, or amended Application for Permit to Drill, Form 3, as appropriate, with necessary supporting information as required.

Name (please print) Tami Hofmann	Title Regulatory Specialist
Signature Jana Holmana	Date 08/06/2007
Representing (company name) Forest Oil Corporation	

The person signing this form must have legal authority to represent the company or individual(s) to be listed as the new operator on the Application for Permit to Drill.

STATE OF UTAH

DIVISION OF OIL, GAS AND MINING						SE DESIGNATION AND SERIAL NUMBER:	
SUNDRY NOTICES AND REPORTS ON WELLS						DIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.						or CA AGREEMENT NAME:	
1. TYPE OF WELL	OIL WELL	☐ GAS WELL ✓ OTHER _				L NAME and NUMBER: h Horseshoe 14-12-6-21	
2. NAME OF OPERATO	DR:					NUMBER:	
Forest Oil Cor	•					1738199	
3. ADDRESS OF OPERATOR: PHONE NUMBER: (303) 812-1700						LD AND POOL, OR WILDCAT: Ioratory	
4. LOCATION OF WELL						Lintah	
FOOTAGES AT SUR	FACE: 558' F	SL & 2038' FWL			COUNT	y: Uintah	
QTR/QTR, SECTION	I, TOWNSHIP, RANG	ige, meridian: SESW 12 6S 2	.1E		STATE:	UTAH	
11. CI	HECK APPF	ROPRIATE BOXES TO INDICAT	E NATURE	OF NOTICE, REPO	RT, OF	R OTHER DATA	
TYPE OF SUE	BMISSION		T	PE OF ACTION			
NOTICE OF IN	ITENT	ACIDIZE	DEEPEN			REPERFORATE CURRENT FORMATION	
(Submit in Dur	olicate)	ALTER CASING	FRACTURE		닏	SIDETRACK TO REPAIR WELL	
Approximate date	work will start:	CASING REPAIR	☐ NEW CONS			TEMPORARILY ABANDON	
		CHANGE TO PREVIOUS PLANS	OPERATOR		님	TUBING REPAIR	
	FDEDODT	CHANGE TUBING	PLUG AND			VENT OR FLARE	
SUBSEQUENT (Submit Origin		CHANGE WELL NAME	PLUG BACK			WATER DISPOSAL WATER SHUT-OFF	
Date of work com	pletion:	CHANGE WELL STATUS		ON (START/RESUME)		OTHER: Extension	
		COMMINGLE PRODUCING FORMATIONS CONVERT WELL TYPE		ON OF WELL SITE TE - DIFFERENT FORMATION	14	OTHER: EXTENSION	
		OMPLETED OPERATIONS. Clearly show all p			ics, etc.		
The Operator	respectfully	requests a one year approval ex	tension for tr	e subject location.			
		4					
		Approved by					
		Utah Division					
		Oil, Gas and Mi	ii iii iy				
	77-17-14		200				
CODY CENT	TO ODEDATOR	Date: <u>04-79</u>	-08				
	COPY SENT TO OPERATOR						
Date: 5 · 1 · 2 · 10 8 By:							
Initials: KS							
		-	•				
NAME (PLEASE PRINT	, Ginger Bo	owden	ТІТІ	_F Agent			
//				4/16/2008			
SIGNATURE DATE 47 TO / 2000							
(This space for State use	e only)					RECEIVED	

APR 2 8 2008

Application for Permit to Drill Request for Permit Extension Validation

(this form should accompany the Sundry Notice requesting permit extension)

	4304738199	12 7 21		
Well Name: Location:	North Horseshoe 14 Section 12, Townshi	-12-0-21 p 6 South Range 21 East SI	e sw	
Company Per		Forest Oil Corporation (Ho		
above, hereby	verifies that the i	legal rights to drill on information as submitted mains valid and does re		
Following is a verified.	checklist of some	e items related to the a	pplication, which should be	
-	rivate land, has then updated? Yes	ne ownership changed □No☑	, if so, has the surface	
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes□ No ☑				
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□No☑				
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes□No ☑				
Has the approv	ved source of wa	ter for drilling changed	? Yes□No☑	
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑				
Is bonding still	in place, which c	covers this proposed w	ell? Yes⊠No□	
Linaes	Bouder		4/16/2008	
Signature 0	,		Date	
Title: Agent		·		
Representing:	Forest Oil Corpora	ition		

RECEIVED

APR 2 8 2008



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Green River District-Vernal Field Office 170 South 500 East Vernal, UT 84078

Vernal, UT 84078 (435) 781-4400 Fax: (435) 781-4410 http://www.blm.gov/ut/st/en/fo/vernal/html



IN REPLY REFER TO: 3160 LLUTG01100

February 10, 2009

Re:

Charles A. Rasey Forest Oil Corporation 707 17th Street, Suite 3600 Denver, CO 80202

43 047 38199

Notice of Expired Lease

Well No. North Horseshoe 14-12-6-21

SESW, Sec. 12, T6S, R21E

Uintah County, Utah Lease No. UTU-84209

(Lease created by segregation out of Lease UTU-76765, effective 06/30/2005)

Dear Mr. Rasey:

The Application for Permit to Drill (APD) the above-referenced well received in this office on June 2, 2006 is being returned unapproved. According to our records, Federal Lease UTU-84209 has expired by its own terms and conditions, effective September 30, 2007. In view of the foregoing, this office is returning the referenced unapproved Application for Permit to Drill due to the lease expiration.

Forest Oil Corporation has the right to a State Director review of this decision as per the procedures outlined in 43 CFR 3165.3. If you have any questions regarding this matter, please contact me at (435) 781-4440.

Sincerely,

Jerry Kenczka

Assistant Field Manager
Lands & Minerals Resources

CC:

UDOGM

Ginger Bowden, Paradigm Consulting, Inc.

RECEIVED FEB 2 5 2009



Lieutenant Governor

State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

June 18, 2009

Forest Oil Corporation 707 17th Street, Suite 3600 Denver, CO 80202

Re:

APD Rescinded - N Horseshoe 14-12-6-21, Sec.12, T.6S, R.21E

Uintah County, Utah API No. 43-047-38199

Ladies and Gentlemen:

The Application for Permit to Drill (APD) for the subject well was approved by the Division of Oil, Gas and Mining (Division) on June 15, 2006. On May 21, 2007 and April 29, 2008 the Division granted a one-year APD extension. No drilling activity at this location has been reported to the division. Therefore, approval to drill the well is hereby rescinded, effective June 30, 2009.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Diana Mason

Environmental Scientist

cc: Well File

Bureau of Land Management, Vernal

